

600

5

EXAMPLES OF CONTENTS IN LOGGING

- SERVER-SIDE LOGGING ENTRY CONTENTS
 - **▶ DATE/TIME FOR ENTRY**
 - ► ENTRY TYPE: INBOUND, OUTBOUND, INTERNAL
 - ► SOURCE ADDRESS/PORT
 - ► REQUEST HEADER
 - **▶ POST DATA**
 - ► SERVER-SIDE SESSION STATE INFORMATION
 - **▶ BROWSER-SIDE SESSION STATE INFORMATION**
- BROWSER-SIDE LOGGING ENTRY CONTENTS
 - ► DATE/TIME FOR ENTRY
 - ► ENTRY TYPE: INBOUND, OUTBOUND, LOCAL
 - ► REQUEST DATA
 - **▶ POST DATA**
 - ► RESPONSE DATA
 - **▶ BROWSER-SIDE SESSION STATE INFORMATION**

FIG.6A PRIOR ART


601




EXAMPLES OF CONTENTS IN LOGGING

DATE/TIME ENTRY FOR ENTRY
ENTRY TYPE (INBOUND, OUTBOUND, LOCAL,
SURVEY QUESTION, SURVEY RESPONSE)
HTTP "GET" DATA
HTTP "POST" DATA
HTTP RESPONSE DATA
PROXY/SURROGATE SERVER SESSION STATE INFORMATION
REQUESTING (BROWSER) ADDRESS/NAME/PORT
TARGET (SERVER) ADDRESS/NAME/PORT

FIG.6B








FIG.9




FIG.10

